

## Building Permit Valuation Table

(Effective January 21, 2008)

| <u>Index #</u> | <u>Description</u>          | <u>Occupancy Type</u> | <u>Valuation</u> |
|----------------|-----------------------------|-----------------------|------------------|
| 1              | Air Condition               | Central - Resid       | 8                |
| 2              | Air Condition               | Central - Comm        | 9                |
| 3              | Air Condition               | Central - Tract       | 8                |
| 4              | Apartment - Sr. Citizen     | I                     | 128              |
| 5              | Apartment - Sr. Citizen     | III                   | 110              |
| 6              | Apartment - Sr. Citizen     | V                     | 105              |
| 7              | Apartment - Townhouse       | III                   | 127              |
| 8              | Apartment - Townhouse       | V                     | 124              |
| 9              | Apartment House             | I or II               | 144              |
| 10             | Apartment House             | III                   | 112              |
| 11             | Apartment House             | V > 3 floors          | 113              |
| 12             | Apartment House             | V < = 3 floors        | 88               |
| 13             | Auditorium - Average        | I or II               | 241              |
| 14             | Auditorium - Average        | III                   | 188              |
| 15             | Auditorium - Average        | V or II-B             | 180              |
| 16             | Auditorium - Good           | I or II               | 327              |
| 17             | Auditorium - Good           | III                   | 245              |
| 18             | Auto - Car Wash             | Self Serve (Stall)    | 53962            |
| 19             | Auto - Car Wash             | Automatic (Stall)     | 144514           |
| 20             | Auto - Car Wash             | Full Service (Stall)  | 183466           |
| 21             | Auto - Dealership - Average | III                   | 100              |
| 22             | Auto - Dealership - Average | V or II-B             | 105              |
| 23             | Auto - Dealership - Good    | III                   | 140              |
| 24             | Auto - Dealership - Good    | V or II-B             | 149              |
| 25             | Auto - Gas Station          | I, II or III          | 111              |
| 26             | Auto - Gas Station          | V or II-B             | 103              |
| 27             | Auto - Gas Station          | Metal Canopy          | 78               |
| 28             | Auto - Repair               | V or II-B             | 46               |
| 29             | Auto - Repair - Average     | III                   | 67               |
| 30             | Auto - Repair - Good        | III                   | 93               |
| 31             | Awning                      | Metal                 | 16               |
| 32             | Awning                      | Fabric                | 21               |
| 33             | Bank - Average              | I or II               | 194              |
| 34             | Bank - Average              | V or II-B             | 165              |
| 35             | Bank - Average              | III                   | 175              |
| 36             | Bank - Excellent            | V or II-B             | 244              |
| 37             | Bank - Excellent            | III                   | 203              |
| 38             | Canopy                      | Metal                 | 18               |
| 39             | Ceiling                     | Acoustic              | 9                |
| 40             | Church - Average            | I or II               | 198              |
| 41             | Church - Average            | V or II-B             | 141              |
| 42             | Church - Average            | III                   | 158              |
| 43             | Church - Good               | I or II               | 280              |
| 44             | Church - Good               | V or II-B             | 200              |
| 45             | Church - Good               | III                   | 208              |
| 46             | Coach                       | Commercial            | 27               |

## Building Permit Valuation Table

(Effective January 21, 2008)

| <u>Index #</u> | <u>Description</u>           | <u>Occupancy Type</u>         | <u>Valuation</u> |
|----------------|------------------------------|-------------------------------|------------------|
| 47             | Demolition                   | Structural Steel              | 6                |
| 48             | Demolition                   | Non-Struc Partition           | 12               |
| 49             | Demolition                   | Structural Concrete           | 7                |
| 50             | Demolition                   | Structural Masonry            | 3.66             |
| 51             | Demolition                   | Structural Wood               | 3.21             |
| 52             | Dwelling - Average           | III - Standard                | 99               |
| 53             | Dwelling - Average           | V - Standard                  | 90               |
| 54             | Dwelling - Good              | III - Standard                | 137              |
| 55             | Dwelling - Good              | V - Pre Fab                   | 67               |
| 56             | Dwelling - Good              | V - Standard                  | 122              |
| 57             | Dwelling - Exceptional Home  | V or III                      | 164              |
| 58             | Dwelling - Tract             | V (> 4000 SF)                 | 116              |
| 59             | Dwelling - Tract             | V (> 2000 SF)                 | 99               |
| 60             | Dwelling - Tract             | V (< 2000 SF)                 | 85               |
| 61             | Equip - Exist Bank           | ATM Machine (Unit)            | 16679            |
| 62             | Equip - Exist Beauty Shop    | Chair with lavatory (Unit)    | 5536             |
| 63             | Equip - Exist Bldg - Average | Firepalce - masonry (Opening) | 2679             |
| 64             | Equip - Exist Bldg - Average | Fireplace - pre-fab (Opening) | 1016             |
| 65             | Equip - Exist Bldg - Good    | Fireplace - masonry (Opening) | 3047             |
| 66             | Equip - Exist Bldg - Good    | Fireplace - pre-fab (Opening) | 1344             |
| 67             | Equip - Exist Dental Office  | Dental Chair/Acc (Unit)       | 5293             |
| 68             | Equip - Exist Dental Office  | X-Ray machine (Unit)          | 7503             |
| 69             | Equip - Exist Laundry        | Fixtures (Unit)               | 11838            |
| 70             | Equip - Exist Laundry        | Coin-oper-Dry Cleaner (Unit)  | 26582            |
| 71             | Equip - Exist Laundry        | Washer (Unit)                 | 28992            |
| 72             | Equip - Exist Laundry        | Dry Cleaner (Unit)            | 40653            |
| 73             | Equip - Exist Laundry        | Dryer (Unit)                  | 5854             |
| 74             | Equip - Exist Market         | Fixture                       | 241              |
| 75             | Equip - Exist Medical Office | Treatment Table (Unit)        | 1842             |
| 76             | Equip - Exist Repair Garage  | Accessories (Bay)             | 5561             |
| 77             | Equip - Exist Repair Garage  | Spray Booth (Unit)            | 28411            |
| 78             | Equip - Exist Repair Garage  | Frame Aligner (Unit)          | 26538            |
| 79             | Equip - Exist Restaurant     | Kitchen Accessoreis (Unit)    | 27859            |
| 80             | Fireproofing                 | Re-spray                      | 2                |
| 81             | Grade Beam                   | Concrete (Cuft)               | 11               |
| 82             | Greenhouse                   | Glass - Resid                 | 35               |
| 83             | Greenhouse                   | Glass - Solar                 | 65               |
| 84             | Hospital - Average           | I or II General               | 198              |
| 85             | Hospital                     | I or II Convalescent          | 168              |
| 86             | Hospital - Average           | III General                   | 179              |
| 87             | Hospital - Average           | III Convalescent              | 138              |
| 88             | Hospital                     | V or II-B - General           | 176              |
| 89             | Hospital - Average           | V or II-B Convalescent        | 137              |
| 90             | Hospital - Good              | I of II General               | 249              |
| 91             | Hospital - Good              | III General                   | 230              |
| 92             | Hospital - Good              | III Convalescent              | 179              |

| <b>Building Permit Valuation Table</b> |                          |                        |                  |
|--|--------------------------|------------------------|------------------|
| <b>(Effective January 21, 2008)</b>    |                          |                        |                  |
| <b>Index #</b>                         | <b>Description</b>       | <b>Occupancy Type</b>  | <b>Valuation</b> |
| 93                                     | Hospital - Good          | V or II-B Convalescent | 169              |
| 84                                     | Hotel or Motel - Average | I or II                | 131              |
| 95                                     | Hotel or Motel - Average | III                    | 102              |
| 96                                     | Hotel or Motel - Average | V > 3 floors           | 93               |
| 97                                     | Hotel or Motel - Average | V < = 3 floors         | 74               |
| 98                                     | Hotel or Motel - Good    | I or II                | 165              |
| 99                                     | Hotel or Motel - Good    | III                    | 136              |
| 100                                    | Hotel or Motel - Good    | V                      | 95               |
| 101                                    | Library                  | I or II                | 152              |
| 102                                    | Library - Average        | III                    | 121              |
| 103                                    | Library - Average        | V or II-B              | 116              |
| 104                                    | Library - Good           | III                    | 160              |
| 105                                    | Library - Good           | V or II-B              | 147              |
| 106                                    | Manufacturing            | V or II-B              | 65               |
| 107                                    | Manufacturing - Average  | I or II                | 92               |
| 108                                    | Manufacturing - Average  | III                    | 72               |
| 109                                    | Manufacturing - Good     | I, II or III           | 96               |
| 110                                    | Office - Medical         | I or II                | 175              |
| 111                                    | Office - Medical         | I or II (Tilt-up)      | 184              |
| 112                                    | Office - Medical         | III                    | 144              |
| 113                                    | Office - Medical         | III (Tilt-up)          | 208              |
| 114                                    | Office - Medical         | V or II-B              | 145              |
| 115                                    | Office - Average         | I or II                | 159              |
| 116                                    | Office - Average         | V or II-B              | 121              |
| 117                                    | Office - Average         | III                    | 128              |
| 118                                    | Office - Good            | I or II                | 195              |
| 119                                    | Office - Good            | V or II-B              | 157              |
| 120                                    | Office - Good            | III                    | 168              |
| 121                                    | Parking Garage           | I or II Basement       | 56               |
| 122                                    | Parking Garage           | I or II - Prkg Struct  | 50               |
| 123                                    | Parking Garage           | III - Prkg Struct      | 40               |
| 124                                    | Parking Garage           | V - Prkg Struct        | 37               |
| 125                                    | Parking Lot              | Pave/stripe            | 6                |
| 126                                    | Partition                | Placement              | 28               |
| 127                                    | Patio                    | Cover                  | 15               |
| 128                                    | Patio                    | Enclosure              | 20               |
| 129                                    | Pile                     | Concrete (Cuft)        | 12               |
| 130                                    | Pole                     | 10" Round pole (Lnft)  | 105              |
| 131                                    | Pool                     | Concrete               | 39               |
| 132                                    | Re-roofing               | Built-up 2 Ply         | 1.22             |
| 133                                    | Re-roofing               | Compo Shingle          | 1.53             |
| 134                                    | Re-roofing               | Fiber Glass            | 1.53             |
| 135                                    | Re-roofing               | Concrete               | 6                |
| 136                                    | Re-roofing               | Metal                  | 9                |
| 137                                    | Re-roofing               | Clay                   | 10               |
| 138                                    | Re-roofing               | Compo Roll             | 1.09             |

## Building Permit Valuation Table

(Effective January 21, 2008)

| <u>Index #</u> | <u>Description</u>     | <u>Occupancy Type</u>          | <u>Valuation</u> |
|----------------|------------------------|--------------------------------|------------------|
| 139            | Re-roofing             | Built-up 3 Ply                 | 1.51             |
| 140            | Relocation             | 2 or more stories bldg         | 37               |
| 141            | Relocation             | Multi-pieces move              | 37               |
| 142            | Relocation             | Attached garage                | 32               |
| 143            | Relocation             | Detached garage                | 37               |
| 144            | Relocation             | Single piece move              | 37               |
| 145            | Restaurant - Average   | III                            | 120              |
| 146            | Restaurant - Average   | V or II-B                      | 116              |
| 147            | Restaurant - Good      | III                            | 200              |
| 148            | Restaurant - Good      | V or II-B                      | 180              |
| 149            | Retail - Average       | I or II General                | 93               |
| 150            | Retail - Average       | I or II Mall                   | 97               |
| 151            | Retail - Average       | I or II Dept. Store            | 112              |
| 152            | Retail - Average       | III Market                     | 81               |
| 153            | Retail - Average       | V or II-B Market               | 80               |
| 154            | Retail - Average       | III Dept. Store                | 92               |
| 155            | Retail - Average       | III General                    | 80               |
| 156            | Retail - Average       | V or II-B General              | 78               |
| 157            | Retail - Good          | I or II General                | 123              |
| 158            | Retail - Good          | V or II-B Market               | 96               |
| 159            | Retail - Good          | III Market                     | 97               |
| 160            | Retail - Good          | III General                    | 106              |
| 161            | Retail - Good          | V or II-B General              | 105              |
| 162            | Retail - Good          | I or II Mall                   | 121              |
| 163            | Retail - Good          | III Dept. Store                | 120              |
| 164            | Retail - Good          | I or II Dept. Store            | 138              |
| 165            | Retaining Wall & Fence | Concrete (Sqft of wall)        | 13               |
| 166            | Retaining Wall & Fence | Masonry (Sqft of wall)         | 9                |
| 167            | School                 | I or II                        | 195              |
| 168            | School - Average       | III                            | 127              |
| 169            | School - Average       | V or II-B                      | 124              |
| 170            | School - Good          | III                            | 157              |
| 171            | School - Good          | V or II-B                      | 155              |
| 172            | Shoring                | Excavation Depth 10-15ft       | 29               |
| 173            | Shoring                | Excavation Depth 56-65ft       | 62               |
| 174            | Shoring                | Excavation Depth 16-20ft       | 32               |
| 175            | Shoring                | Excavation Depth 21-25ft       | 43               |
| 176            | Shoring                | Excavation Depth 26-35ft       | 48               |
| 177            | Shoring                | Excavation Depth 46-55ft       | 56               |
| 178            | Shoring                | Excavation Depth 36-45ft       | 50               |
| 179            | Signs                  | Illum single Face <20 SF       | 127              |
| 180            | Signs                  | Non-Illum Single Face 50-100sf | 37               |
| 181            | Signs                  | Non-Illum Single Face 20-50sf  | 41               |
| 182            | Signs                  | Non-Illum Double Face >100sf   | 41               |
| 183            | Signs                  | Non-Illum Double Face 50-100sf | 47               |
| 184            | Signs                  | Non-Illum Double Face 20-50sf  | 53               |

## Building Permit Valuation Table

(Effective January 21, 2008)

| <u>Index #</u> | <u>Description</u> | <u>Occupancy Type</u>        | <u>Valuation</u> |
|----------------|--------------------|------------------------------|------------------|
| 185            | Signs              | Non-Illum Double Face<20sf   | 60               |
| 186            | Signs              | Illum Double Face > 100sf    | 88               |
| 187            | Signs              | Illum Double Face 50-100sf   | 112              |
| 188            | Signs              | Illum Double Face 20-50sf    | 129              |
| 189            | Signs              | Illum Double Face <20sf      | 179              |
| 190            | Signs              | Plain Neon > 100sf           | 45               |
| 191            | Signs              | Plain Neon 50-100sf          | 52               |
| 192            | Signs              | Plain Neon 20-50sf           | 58               |
| 193            | Signs              | Plain Neon <20sf             | 68               |
| 194            | Signs              | Ornate Neon >100sf           | 64               |
| 195            | Signs              | Ornate Neon 50-100sf         | 75               |
| 196            | Signs              | Ornate Neon 20-50 sf         | 87               |
| 197            | Signs              | Ornate Neon < 20sf           | 102              |
| 198            | Signs              | Non-Illum Single Face >100sf | 32               |
| 199            | Signs              | Illum Single Face 20-50sf    | 100              |
| 200            | Signs              | Illum Single Face 50-100sf   | 81               |
| 201            | Signs              | Illum single Face >100sf     | 64               |
| 202            | Signs              | Non-Illum single Face <20sf  | 47               |
| 203            | Spa                | Attached (Unit)              | 9492             |
| 204            | Spa                | Detached (Unit)              | 16747            |
| 205            | Sprinkler          | Wet or Dry                   | 2.79             |
| 206            | Tennis Court       | Concrete Slab                | 6                |
| 207            | Theater            | V or II-B                    | 150              |
| 208            | Theater - Average  | I or II                      | 174              |
| 209            | Theater - Average  | III                          | 157              |
| 210            | Theater - Good     | I or II                      | 223              |
| 211            | Theater - Good     | III                          | 222              |
| 212            | Warehouse          | I or II                      | 57               |
| 213            | Warehouse          | V or II-B                    | 52               |
| 214            | Warehouse          | III                          | 54               |