

# REQUEST FOR MODIFICATION OF BUILDING ORDINANCES

UNDER AUTHORITY OF L.A.M.C. SECTION 98.0403

<b>PERMIT APP. #:</b>		<b>DATE:</b>	
<b>JOB ADDRESS:</b>			
<b>Tract:</b>		<b>Block:</b>	
		<b>Lot:</b>	
<b>Owner:</b>		<b>Petitioner:</b>	
<b>Address:</b>		<b>Address:</b>	
City	State	Zip	Phone
<b>REQUEST</b> (SUBMIT PLANS OR ADDITIONAL SHEETS AS NECESSARY)		<b>CODE SECTIONS:</b> L.A.M.C. 94.401.0; 94.301.1.1	
Request to install and maintain concrete floor troughs instead of approved waste piping as required by code.			
<b>JUSTIFICATION</b> (SUBMIT PLANS OR ADDITIONAL SHEETS AS NECESSARY)			
This is a practical means of handling waste water in this type of installation. No insanitary conditions are anticipated.			
<b>Owner/Petitioner Name (Print)</b>		<b>(Signature)</b>	
		<b>Position</b>	
<b>FOR CITY DEPARTMENT'S USE ONLY BELOW THIS LINE</b>			
Concurrences required from the following Department(s)			
<input type="checkbox"/>	Los Angeles Fire Department	Print Name _____	Sign _____
<input type="checkbox"/>	Public Works Bureau of Engineering	Print Name _____	Sign _____
<input type="checkbox"/>	Department of City Planning	Print Name _____	Sign _____
<input type="checkbox"/>	Department of County Health	Print Name _____	Sign _____
<input type="checkbox"/>	Other _____	Print Name _____	Sign _____
			Approved <input type="checkbox"/> Denied <input type="checkbox"/>
			Approved <input type="checkbox"/> Denied <input type="checkbox"/>
			Approved <input type="checkbox"/> Denied <input type="checkbox"/>
			Approved <input type="checkbox"/> Denied <input type="checkbox"/>
			Approved <input type="checkbox"/> Denied <input type="checkbox"/>
<b>DEPARTMENT ACTION</b>			
<input type="checkbox"/> GRANTED <input type="checkbox"/> DENIED			
		<b>Reviewed by: (Staff) (print)</b>	<b>Sign</b>
			<b>Date</b>
		<b>Action taken by: (Supervisor) (print)</b>	<b>Sign</b>
			<b>Date</b>
<b>NOTE: IN CASE OF DENIAL, SEE PAGE #2 OF THIS FORM FOR APPEAL PROCEDURES</b>			
<b>CONDITIONS OF APPROVAL (Continued on Page 2):</b>			
(See Attached Conditions of Approval on Page 3)			
<b>FEES</b>			
Appeal Processing Fee.. (No. of Items) =	X \$130 + \$39/addl	=	_____
Inspection Fee ..... (No of Insp.) =	X \$ 84.00	=	_____
Research Fee ... (Total Hours Worked) =	X \$104.00	=	_____
Subtotal .....		=	_____
Surcharge (One Stop).....	X 2%	=	_____
Surcharge (Systems Development).....	X 6%	=	_____
Total Fees .....		=	_____
Fees verified by:			
Print and Sign _____			

**For Cashiers Use Only**  
(PROCESS ONLY WHEN FEES ARE VERIFIED)

Permit App #:

Job Address:

## CONDITIONS OF APPROVAL (Continued from Page 1)

(See Attached Conditions of Approval on Page 3)

# CITY OF LOS ANGELES

## BOARD OF BUILDING AND SAFETY/DISABLED ACCESS

### COMMISSION APPEAL FORM

(Must be Attached to the Modification Request Form, Page 1)

**AFFIDAVIT – LADBS BOARD OF BUILDING AND SAFETY COMMISSIONERS – RESOLUTION NO. 832-93**

I, \_\_\_\_\_ do state and swear as follows:

(Print or Type Name of the Person Signing this Form)

1. The name and mailing address of the owner of the property (as defined in the resolution 832-93) at \_\_\_\_\_ as shown on the appeal application (LADBS Com 31) are correct, and
2. The owner of the property as shown on the appeal application will be made aware of the appeal and will receive a copy of the appeal.

I declare under PENALTY OF PERJURY that the foregoing is true and correct.

Owner's Name(s) \_\_\_\_\_

(Please Type or Print)

Please Type or Print

Owner's Signature(s) \_\_\_\_\_

(Please Sign)

(Two Officers' Signatures Required for Corporations)

Name of Corporation \_\_\_\_\_

(Please Print Name of Corporation)

(Please Type or Print)

Dated this \_\_\_\_\_ day of \_\_\_\_\_ 20\_\_\_\_

**CALIFORNIA ALL-PURPOSE ACKNOWLEDGEMENT-----SIGNATURE(S) MUST BE NOTARIZED**State of **CALIFORNIA** County of \_\_\_\_\_ on \_\_\_\_\_before me, \_\_\_\_\_, personally appeared \_\_\_\_\_,  
Name, Title of Officer (e.g. Jane Doe, Notary Public) Name(s) of Signer(s)

who proved to me on the basis of satisfactory evidence to be the person(s) whose name(s) is/are subscribed to the within instrument and acknowledged to me that he/she/they executed the same in his/her/their authorized capacity(ies), and that by his/her/their signature(s) on the instrument in person(s), or the entity upon behalf of which the person(s) acted, executed the instrument. I **certify under PENALTY OF PERJURY under the laws of the State of California that the foregoing is true and correct.**

WITNESS my hand and official seal.

Signature

### APPEAL OF DEPARTMENT ACTION TO THE BOARD OF BUILDING AND SAFETY COMMISSIONERS/DISABLED ACCESS APPEALS COMMISSION

Applicant's Name \_\_\_\_\_

Applicant's Title \_\_\_\_\_

Signature \_\_\_\_\_

Date \_\_\_\_\_

**FEES**

Board Fee .....	(No. of Items)	X	\$130.00	=	_____
Inspection Fee .....	(No of Insp.) =	X	\$84.00	=	_____
Research Fee ...	(Total Hours Worked) =	X	\$104.00	=	_____
Subtotal.....				=	_____
Surcharge .(One Stop).....		X	2%	=	_____
Surcharge .(Systems Development).....		X	6%	=	_____
Total Fees .....				=	_____

Fees verified by: \_\_\_\_\_

Print and Sign \_\_\_\_\_

**For Cashiers Use Only**

(PROCESS ONLY WHEN FEES ARE VERIFIED)

## SUPPLEMENTAL INFORMATION AND/OR SKETCH OF JOB CONDITION

### BASIS FOR APPROVAL-INFORMATION

For the Superintendent of Building or his designated agent to approve a request for modification or a request for alternate material or method of construction he must determine that special, individual reasons exist that make compliance with the strict letter of the ordinance impractical and that equivalency is provided for requests applicable to the State Housing Law. The resulting condition must be in conformance with the spirit and purpose of the ordinance involved. The applicant must provide sufficient information with this application to allow the above evaluation to be made.

### INFORMATION ON PROCEDURE FOR APPEAL FROM A DETERMINATION OR ACTION BY THE DEPARTMENT OF BUILDING AND SAFETY

Appeal from the determination or action of the Superintendent of Building or his designated agency may be made to the Board of Building and Safety Commissioners. To appeal, the appellant must give special individual reasons that make compliance with the strict letter of the ordinance impractical. Appeals pertaining to State Housing Law provisions require complete evidence to substantiate that the proposed design, material, or method of construction is at least equivalent to that prescribed by the Code. State such reasons or evidence on the front of this form or on a separate attachment.

DATE:

JOB ADDRESS:

### CONDITIONS OF APPROVAL FLOOR TROUGHS

1. Obtain a Plumbing Permit for the installation of the floor trough.
2. Floor troughs shall not be less than four (4) inches in width and shall maintain a minimum of 1% slope to an approved floor drain located in the bottom of the trough.
3. Walls and bottom of trough shall be at least four (4) inches thick Class "C" concrete. Sides and bottom shall be reinforced with #3 longitudinal steel reinforcing bars placed at mid-thickness of the concrete, and not less than one bar for each side placed not less than three (3) inches nor more than six (6) inches from top and sides with an additional bar for each two (2) feet of depth of trench.

The bottom shall be reinforced with not less than one #3 longitudinal steel reinforcing bar placed at center of bottom with an additional bar for each two (2) feet of width of bottom.

Minimum #2 bar U-Stirrups shall be placed not less than three (3) feet center to center.

**In lieu of the above,** reinforcing may consist of cold-drawn welded steel reinforcing fabric 6" x 6" x #10 x #10 placed mid-thickness of concrete. Structural design and approval shall be provided at locations where structural integrity may be compromised.

4. Troughs shall be troweled smooth with cement plaster having a waterproof additive.
5. Changes in direction of the trough shall be accomplished by the use of long radius design.
6. The junction between the trough walls and bottom shall be rounded with a cove of at least three-eighths (3/8) inch radius.
7. No trough shall be placed under any fixed equipment unless the bottom of such equipment is at least 12 inches above the floor surface.
8. Trough drains being discharged to the sanitary system shall be properly trapped and vented.
9. Troughs shall be covered with solid metal covers or grating, and when subject to vehicular traffic shall be provided with traffic rated grating.
10. An approved floor drain shall be properly installed at the bottom of the trough.