

REQUEST FOR MODIFICATION OF BUILDING ORDINANCES

UNDER AUTHORITY OF L.A.M.C. SECTION 98.0403

PERMIT APP. #:	DATE:	For City Dept. Use Only	
JOB ADDRESS:		Tor Oity Dept. Ose Offing	
Tract:	Block:	Mech.	
	Lot:		
Owner:	Petitioner:		
Address:	Address:		
City State Zip Phone	City State Zi	p Phone	
REQUEST (SUBMIT PLANS OR ADDITIONAL SHEETS AS NECESSARY) CODE SECTIONS: L.A.M.C. 95.504.4.2.1			
Request to install and maintain a domestic dryer moisture exhaust duct in excess of 14 feet in length			
Troquest to motali and maintain a domestic dryer moistare exhaust dust in excess of 14 feet in longin			
JUSTIFICATION (SUBMIT PLANS OR ADDITIONAL SHEETS AS NECESSAR)	Y)		
In order to compensate for the excess in length, the diameter			
Owner/Petitioner Name (Print) (Signature)	Position		
FOR CITY DEPARTMENT'S U	JSE ONLY BELOW THIS LINE		
Consumer and a service of factors that fall actions Department (a)		Annual Danied	
Concurrences required from the following Department(s)	-	Approved Denied	
	Sign		
Public Works Bureau of Engineering Print Name			
Department of City Planning Print Name	Sign	U U	
Department of County Health Print Name	Sign	📙 📙	
Other Print Name	Sign		
DEDARTMENT ACTION			
DEPARTMENT ACTION Reviewed by: (Staff) (Print)	Sign	Date	
GRANTED DENIED			
Action taken by: (Supervisor) (P	rint) Sign	Date	
NOTE: IN CASE OF DENIAL, SEE PAGE #2		OCEDURES	
For Cookiers Hee Only			
CONDITIONS OF APPROVAL (Continued on Page 2): For Cashiers Use Only (PROCESS ONLY WHEN FEES ARE VERIFIED)			
 The moisture exhaust duct shall be increased to 5 inch nominal diameter. The total developed length of the 5 inch diameter duct shall not exceed 			
55 feet. 4 feet shall be deducted for each 90-degree elbow.			
CONTINUED ON PAGE 2			
(DEPARTMENT USE ONLY)			
FEE5			
Appeal Processing Fee (No. of Items) = 1 X \$130 + \$39/addl =			
	= =		
	=		
	=		
	=		
	=		
Fees verified by:			
Print and Sign			

Регіпіт Арр #:	Job Address:
CONDITIONS OF APPROVAL (Continued from Page 1)	
3. Provide cleanouts that are accessible. Clean outs shall be spaced not more than 20 feet apart.	
4. Ducts installed within a wall shall not be installed where the free area of the duct will be reduced.	

CITY OF LOS ANGELES BOARD OF BUILDING AND SAFETY/DISABLED ACCESS COMMISSION APPEAL FORM

(Must be Attached to the Modification Request Form, Page 1)

(Mast be Attached to the	ie wedinedion request rom, rage ry		
AFFIDAVIT - LADBS BOARD OF BUILDING AN	D SAFETY COMMISSIONERS – RESOLUTION NO. 832-93		
I, do state	and swear as follows:		
(Print or Type Name of the Person Signing this Form)	/andefined in the resolution 000 00) at		
the appeal application (LADBS Com 31) are correct, and	y (as defined in the resolution 832-93) at as shown on		
	tion will be made aware of the appeal and will receive a copy of the appeal.		
I declare under PENALTY OF PERJURY that the forgoing is true and	correct.		
Owner's Name(s) (Please Type or Print)			
	(Please Type or Print)		
Owner's Signature(s)(Please Sign)	(Two Officers' Signatures Required for Corporations)		
Name of Corporation(Please Print Name of Corporation) (Please Type or Print)			
(Please Print Name of Corporation)	(Please Type or Print)		
Dated this day of	20		
CALIFORNIA ALL-PURPOSE ACKNOWLEDGEMEN	NTSIGNATURE(S) MUST BE NOTARIZED		
	on		
before me,	Name(s) of Signer(s)		
who proved to me on the basis of satisfactory evidence to be the perso	on(s) whose name(s) is/are subscribed		
to the within instrument and acknowledged to me that he/she/they exe authorized capacity(ies), and that by his/her/their signature(s) on the in			
upon behalf of which the person(s) acted, executed the instrument. I certify under PENALTY OF			
PERJURY under the laws of the State of California that the forego	oing is true and correct.		
WITNESS my hand and official seal.	Signature		
	ct, the City of Los Angeles does not discriminate on the basis of disability and, upon request, will		
provide reasonable accommodation	to ensure equal access to its programs, services and activities.		
APPEAL OF DEPARTMENT ACTION TO THE BOARD OF BUILDING AND SAFETY			
COMMISSIONERS/DISABLED ACCESS APPEALS COMMISSION			
Applicant's Name	Applicant's Title		
Signature	Date		
FEES (DEPARTMENT USE ONLY)	For Cashiers Use Only		
Board Fee(No. of Items) 1 X \$35	(PROCESS ONLY WHEN FEES ARE VERIFIED) 54.00 =		
,	34.00 =		
Research Fee (Total Hours Worked) = X \$10	04.00 =		
Subtotal			
Development Services Center Surcharge X 39	% =		
Systems Development Surcharge X 69	% =		
Total Fees	=		
Fees verified by:			
Print and Sign			
· · · · · · · · · · · · · · · · · · ·			