

BOARD OF
BUILDING AND SAFETY
COMMISSIONERS

—
VAN AMBATIELOS
PRESIDENT

JAVIER NUNEZ
VICE PRESIDENT

JOSELYN GEAGA-ROSENTHAL
GEORGE HOVAGUIMIAN
ELVIN W. MOON

CITY OF LOS ANGELES
CALIFORNIA



ERIC GARCETTI
MAYOR

DEPARTMENT OF
BUILDING AND SAFETY
201 NORTH FIGUEROA STREET
LOS ANGELES, CA 90012

—
OSAMA YOUNAN, P.E.
GENERAL MANAGER
SUPERINTENDENT OF BUILDING

—
JOHN WEIGHT
EXECUTIVE OFFICER

Date: August 31, 2020

To: Agencies and Individuals That Provided Comments on the Direct Disposal Large Volume Solid Waste Transfer/Processing Facility Draft Initial Study/Mitigated Negative Declaration (IS/MND)

From: Local Enforcement Agency, Los Angeles Department of Building and Safety

Subject: Transmittal of Final IS/MND for Direct Disposal Large Volume Solid Waste Transfer/Processing Facility Project

The City of Los Angeles, Local Enforcement Agency (LEA) has received an application from Direct Disposal Inc. to obtain a full solid waste facility permit (SWFP) that would enable them to operate a large volume transfer station at 3720 Noakes Street in the City of Los Angeles. The LEA had prepared and circulated a Draft IS/MND, State Clearinghouse (SCH) No. 2019079096, to allow expansion of the existing 175 ton per day (TPD) Direct Disposal Medium Volume Construction, Demolition and Inert (CDI) Material Recovery Facility (MRF) (SWIS No. 19-AR-1228). The proposed SWFP for the large volume transfer station will allow up to 500 TPD of CDI and solid waste to be processed and transferred at the Direct Disposal facility. Of the 500 TPD permitted capacity, up to 100 TPD may be Municipal Solid Waste (MSW).

The LEA has evaluated the comments received on the Direct Disposal Large Volume Solid Waste Transfer/Processing Facility Project Draft IS/MND and prepared Responses to Comments as well as an Errata Section. These documents are included in the attached Final Initial Study/Mitigated Negative Declaration (the Final IS/MND). The Final IS/MND together with the Draft IS/MND, Draft IS/MND appendices, and the Mitigation Monitoring and Reporting Program, will be use by the LEA in its review and consideration of the Direct Disposal Large Volume SWFP. For reference purposes, the documents can be found at <https://ladbs.org/services/core-services/code-enforcement/lea-information#Tab1>

The next step in the process is for Direct Disposal Inc. to obtain a full SWFP from the LEA and CalRecycle. As part of the SWFP process, the LEA will be holding a public information meeting in the next 30 to 45 days to obtain input on the permit. Once this meeting is scheduled, you will receive a notification by mail and/or email of the meeting date, time and location. After the meeting, the LEA will be drafting a proposed permit for consideration by CalRecycle.

If you have any questions regarding the adoption of the IS/MND or the upcoming permit process, please contact Jose Gutierrez at (213) 252-3348 or by email at jose.gutierrez@lacity.org.

Fecha: 31 de Agosto, 2020

A: Agencias e individuos que proporcionaron comentarios sobre el Borrador del estudio inicial / Declaración negativa mitigada (IS / MND) de la instalación de procesamiento / transferencia de residuos sólidos de gran volumen de Direct Disposal

De: Agencia de Ejecución Local, Departamento de Construcción y Seguridad de Los Ángeles

Asunto: **Transmisión de Estudio Inicial/ Declaracion Negativo Mitigado Final (IS/MND) para Direct Disposal Proyecto de instalación de transferencia / procesamiento de residuos sólidos de gran volumen**

La Agencia de Ejecución Local (LEA) de la Ciudad de Los Ángeles ha recibido una solicitud de Direct Disposal Inc. para obtener un permiso completo para instalaciones de desechos sólidos (SWFP) que les permitiría operar una estación de transferencia de gran volumen en 3720 Noakes Street en la ciudad de Los Ángeles. La LEA había preparado y distribuido un Borrador IS / MND, State Clearinghouse (SCH) No. 2019079096, para permitir la expansión de las 175 toneladas por día (TPD) Direct Disposal Instalación de recuperación de materiales (MRF) de construcción, demolición e inerte (CDI) de volumen medio (SWIS No. 19-AR-1228). El SWFP propuesto para la estación de transferencia de gran volumen permitirá que se procesen y transfieran hasta 500 TPD de CDI y desechos sólidos en la instalación de Direct Disposal. De la capacidad permitida de 500 TPD, hasta 100 TPD pueden ser Residuos Sólidos Urbanos (MSW).

La LEA ha evaluado los comentarios recibidos sobre el Borrador IS / MND del Proyecto de Instalación de Transferencia / Procesamiento de Desechos Sólidos de Gran Volumen de Direct Disposal y ha preparado Respuestas a los Comentarios, así como una Sección de Erratas. Estos documentos se incluyen en el Final Estudio Inicial / Declaración Negativa Mitigada (el IS / MND Final). El IS / MND Final junto con el Borrador IS / MND, los apéndices del Borrador IS / MND y el Programa de Monitoreo e Informes de Mitigación serán utilizados por la LEA en su revisión y consideración del SWFP de Gran Volumen de Direct Disposal. Para fines de referencia, los documentos se pueden encontrar en <https://ladbs.org/services/core-services/code-enforcement/lea-information#Tab1>

El siguiente paso en el proceso es que Direct Disposal Inc. obtenga un SWFP completo de LEA y CalRecycle. Como parte del proceso de SWFP, la LEA llevará a cabo una reunión de información pública en los próximos 30 a 45 días para obtener información sobre el permiso. Una vez que esta reunión sea programada, usted recibirá una notificación por correo y / o correo electrónico de la fecha, hora y el lugar de la reunión. Después de la reunión, la LEA redactará un permiso propuesto para que CalRecycle lo considere.

Si tiene alguna pregunta sobre la adopción del IS / MND o el próximo proceso de permisos, comuníquese con José Gutiérrez al (213) 252-3348 o por correo electrónico a jose.gutierrez@lacity.org.